

Find:

Searching for **extended attribute declaration and reference resolving**.

Restrict to: Order by: Try:

No documents match Boolean query. Trying non-Boolean relevance query.

1000 documents found. **Only retrieving 250 documents (System busy - maximum reduced)**. Retrieving documents... **Order: relevance to query**.

The Design and Implementation of SPECS: An Alternative C++ - Werther, Conway (Correct)
declaration syntax which inherits from C (and **extends**) is so complicated that it is doubtful whether,
 The new binding includes a completely redesigned **declaration/definition** syntax for types, functions and
www.cs.monash.edu.au/~damian/papers/PS/SPECS.ps

A Meta-theory for Structured Presentations in the COC - Shulman (1997) (Correct)

:133 5.6 **Extended ML** :

cse.ogi.edu/pub/tech-reports/1997/97-TH-001.ps.gz

Generating Association Rules from Semi-Structured Documents. - Lisa Singh (1997) (Correct) (7 citations)

Rules from Semi-Structured Documents Using an **Extended** Concept Hierarchy Lisa Singh Peter Scheuermann
 a given concept in the ECH and a given structured **attribute** value to the neighbors of the given concept in
 work for the WWW domain and digital libraries. **References** AIS93] R. Agrawal, T. Imielinski, A. Swami,
web.ece.nwu.edu/EXTERNAL/dbwww/papers/CIKM97.ps

Cspack Client-Server Routines And Utilities - Cern (Correct)

:4 1.2.5 TELNETG -A **extended** TELNET program :

i Preliminary remarks This Complete **Reference** of the CSPACK system, consists of four parts:

wwwinfo.cern.ch/asdoc/psdir/cspack.ps.gz

Grading On The Fly - Staab, Hahn (1998) (Correct)

this scenario each had a set 4 This notion is **extended** by Barsalou (1985) toward goal-derived
 are aware of correlational structures by which **attributes** are linked. Also, they prefer to use categories
 representation. They are rather dependent on a **reference** point or class norm that is associated with a
www.coling.uni-freiburg.de/~staab/pubs/cogsci98.ps.gz

Parallel Classification for Data Mining on Shared-Memory. - Zaki (1998) (Correct) (5 citations)

scheduling among processors. This basic scheme is **extended** with task pipelining and dynamic load balancing
 parallelism. The data parallelism is based on **attribute** scheduling among processors. This basic scheme
www.cs.rpi.edu/~zaki/PS/ICDE99.ps.gz

Incl: A Tool to Analyze Include Files - Kiem-Phong Vo (1992) (Correct) (3 citations)

systems typically share data types, macros, and **declarations** of global variables by including common header
 requires construction and analysis of complex **reference** relationships among symbols across the nested
 all symbols that it refers to must be fully **resolved** whether or not they are really needed for code
www.research.att.com/~ciao/doc/incl.ps.gz

Learning Planning Operators by Observation and Practice - Wang (1994) (Correct) (12 citations)

Carbonell et al. 1992) and is demonstrated in the **extended-strips** domain(Minton 1988) and a subset of the
 plan repair with possibly incorrect operators. **References** Anzai, Y.and Simon, H. A. 1979. The Theory
www.rpal.rockwell.com/~mei/aips94.ps

Metadata for Digital Libraries: Architecture and.. - Baldonado, Chang.. (1997) (Correct) (9 citations)

capability, although the format could easily be **extended**. Again, the decision to address only commonly
 that includes four basic component classes: **attribute** model proxies, **attribute** model translators,
www.cs.columbia.edu/~gravano/Papers/1997/dl97.ps

Yet another Yacc for Datatypes - van Eijk (1995) (Correct)

include: functional language programming, **attribute** grammars, abstract data types, rewrite rules
 is declared by adding the line /rest of bool **declaration** *int depth =0 to the phylum
 with Axel Belinfante and Henk Eertink. **References** CSG] T. Teitelbaum and T.W. Reps, The
wwwlios.cs.utwente.nl/pubs/pve/inf9004.ps.gz

Optimal Clustering of Relations in a Database System - Harris, Ramamohanarao (1994) (Correct)

extended attribute declaration and reference resolving - ResearchIndex document query

[36] Superimposed coding schemes have been **extended** to a two level scheme by Sacks Davis and their frequencies, we can design multi-**attribute** hash indexes to optimally cluster records. In munkora.cs.mu.oz.au/publications/ir_db/mu_94_08.ps.gz

36 Problems for Semantic Interpretation - Scheler (Correct)

the presupposition of know might or might not be **attributed** to the speaker. belief contexts 32. I did predicates mass nouns "lazy" pronouns intensional **reference** intensional coreference non-compositionality of [flop.informatik.tu-muenchen.de/pub/fki/fki-179-93.ps.gz](http://lop.informatik.tu-muenchen.de/pub/fki/fki-179-93.ps.gz)

BROOM: Buffer Replacement using Online Optimization by Mining - Tung Tay, Lu (Correct)

Mining-Based Approach. In Proc. of VI Int'l on **Extending Database Technology**, Valencia, Spain, March (1) know" something about the patterns of page **references**, and (2) imitate the optimum offline policy. www.cs.ust.hk/~luhj/ps/cikm.ps

Lincoln Software Ltd, Marlborough Court, Pickford Street - Data Transformation (Correct)

direct mapping is not available, we must logically **extend** the host data model to allow such a mapping. This database technology supports derived **attributes**, relationships and entity types. This String or Integer, or they may be entity-valued (**references** to other entities) in which case they are ftp.soc.staffs.ac.uk/techrep/soctr9703.ps.Z

Towards a Model Theory of Figure Ground Locations - Bittner (Correct) (1 citation)

This language is based on the RCC-theory which is **extended** by a number of definitions and axioms of their location within an ordering frame of **references**. Secondly, a well defined model theory is new-nutcor.rutgers.edu/~amai/Extended_Abstracts/TBittner.ps

Efficient Support for P-HTTP in Cluster-Based Web Servers - Aron, Druschel, Zwaenepoel (1999) (Correct) (9 citations)

Measurements of this mechanism in connection with **extended** LARD on a prototype cluster, driven with traces Grant 003604, and by an IBM Partnership Award. **References** 1] D. Andresen et al. SWEB: Towards a www.cs.rice.edu/~aron/papers/phttp-lard.ps

Distribution Independent Programming and the Saxpy - Otto (1991) (Correct)

(the Dcmp structure) which gives the run time **attributes** of the array. Each processor has a copy of this The vectors themselves have length M, and the **declaration** and distribution of the vectors is 0:15 User 0:1 CUBIX: exit status 0 iliamna% **References** 1] S. Otto. MetaMP: A higher level cse.ogi.edu/pub/ogipvm/papers/Saxpy.ps.gz

Preliminary Broadcast News Benchmark Tests - David Pallett (Correct)

overlapping speech were hand marked in the This **attribute** -nonuniform representation of the data in Before scoring, both the ASR system output and **reference** transcripts were pre-filtered using www.nist.gov/speech/procdarpa97/ps/pallett1.ps

The Implementation and Efficiency of Arrays in Clean 1.1 - van Groningen (1997) (Correct) (1 citation)

complicated and inefficient way. We decided to **extend** the language with syntax for multidimensional a type indicates that the type has a uniqueness **attribute** variable u. A type annotated with a uniqueness copying is necessary because there may be other **references** to the array in the program, and changing the ftp.cs.kun.nl/pub/CSI/SoftwEng.FunctLang/papers/groj97-Arrays.ps.gz

Revision History - Version Version (Correct)

certificate revocation. Another example is the **extended-certificate-attributes attribute**, which Another example is the **extended-certificate-attributes attribute**, which specifies **attributes** for a #10: Certification Request Syntax Standard 2. **References** Pkcs #1 Rsa Laboratories. Pkcs #1: Rsa ftp.rsa.com/pub/pkcs/ps/pkcs-10.ps

[Documents 21 to 40](#) [Previous 20](#) [Next 20](#)

Try your query at: [Amazon](#) [Barnes & Noble](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer - citeseer.org - [Terms of Service](#) - [Privacy Policy](#) - Copyright © 1997-2002 NEC Research Institute



Find:

[Documents](#)

[Citations](#)

Searching for **extended attribute declaration and reference resolving**.

Restrict to: [Header](#) [Title](#) Order by: [Citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Amazon](#) [B&N](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

1000 documents found. **Only retrieving 500 documents (System busy - maximum reduced)**. Retrieving documents... **Order: relevance to query.**

[Combining Indexing Technique with Path Dictionary for Nested Object... - Lee \(1995\) \(Correct\) \(1 citation\)](#)
 "Proceedings of International Conference on **Extending** Database Technology, Venice, Italy, March
 data model. A class may consist of simple **attributes** (e.g. of domain integer or string) and
 values of other objects. If an object O is **referenced** as an **attribute** of object O O is said to
www.cs.ust.hk/faculty/dlee/Papers/oo/dasfaa95.ps.gz

[Nozomi - A Fast, Memory-Efficient Stack Decoder For Lvcsr - Schuster \(1996\) \(Correct\)](#)
 matter in what order the hypotheses in beam are **extended** for the implementation described here. 2.1.1.
 hypothesis for the current LM state and future **reference**. Compared to the generation of the first best
www.aist-nara.ac.jp/IS/Shikano-lab/staff/1996/mike-s/papers/icslp98.ps.gz

[Conditional Evaluation in Simple Multi-Visit Attribute-Grammar... - Yang \(1997\) \(Correct\) \(1 citation\)](#)
 Conditional Evaluation In Simple Multi-Visit **Attribute**-Grammar Evaluators Wu Yang Department Of
www.cis.nctu.edu.tw/~wuuyang/papers/condAG.ps

[Possessive affixes and complement composition - Kolliakou \(Correct\)](#)
 an affixal analysis. Apparent difficulties for **extending** to possessive affixes an HPSG account that has
 synsem which however is never associated with an **attribute** PHON, to constitute a word or phrase this is
 in addition, is independently motivated in MG. **References** Abeill'e, A.D. Godard, and I. Sag (1997)
grid.let.rug.nl/~kersten/kolliakou.ps

[Conceptual Design Model based Requirements Analysis in the WinWin... - Bose \(1995\) \(Correct\) \(1 citation\)](#)
 the goals, and c) defining capabilities of an **extended** WinWin support system that to aid in analysis.
 Relations are used in specifying object **attributes** and link types between objects. The important
 domain. The taxonomy is used as a domainspecific **reference** model with respect to which stakeholders
sunset.usc.edu/TechRpts/Papers/IWSSD-95.ps

[Experiments with the Z Interchange Format and SGML - Germán, Cowan \(Correct\)](#)
 4 We believe that the definition should be **extended** to include sharing of Z documents between
 in the context of the Z Interchange Format. **declaration** of entities is implementation dependent and
 referees for their constructive comments. **References** 1. L. Lamport, L A T E X User's Guide &
aries27.uwaterloo.ca/~dmg/research/izum95.ps.gz

[Committee T1 - Telecommunications Standards Contribution - Standards Project \(Correct\)](#)
 the April 1996 meeting G.823, G.824: Wander **reference** model G.803: Synchronisation chain **reference**
ftp.itl.org/pub/t1x1/x13old/5x130841.ps

[A Note on Typing Variables and References - Volpano, Smith \(1996\) \(Correct\)](#)
 types. The syntax of the language in [1] is **extended** as follows: Expressions) e : e j l : 1
 A Note on Typing Variables and **References** Dennis Volpano Department of Computer Science
www.cs.nps.navy.mil/research/languages/papers/atasc/npscs9603.ps.Z

[Dynamic Attribute Grammars - Parigot, Roussel, Jourdan, Duris \(1996\) \(Correct\) \(5 citations\)](#)
 a previous paper, we show that it is possible to **extend** this expressiveness and to describe computations
 En Informatique Et En Automatique Dynamic **Attribute** Grammars Didier Parigot, Gilles Roussel, Martin
www-rocq.inria.fr/oscar/www/fnc2/././ftp/fnc2/publications/RR-2881.ps.gz

[Intelligent Computing About Complex Dynamical Systems - Zhao \(1994\) \(Correct\)](#)
 for a magnetic levitation vehicle. We plan to **extend** the capabilities of the Workbench to support
 should change values. A synthesized control **reference** trajectory consists of a sequence of trajectory
www.cis.ohio-state.edu/insight/papers/mcs.ps

[MVP-L Language Report Version 2 - Bröckers, Lott.. \(1995\) \(Correct\)](#)
 to process consumption or production, we **extended** the list of standard events to be consistent

extended attribute declaration and reference resolving - ResearchIndex document query

4.3.1.1 Attribute Models

www.cs.umd.edu/users/cml/work/pubs/1995-MVPLv2.ps.gz

Modelling and Specifying Name Visibility and Binding Semantics - Vorthmann (1993) (Correct) (1 citation)
to a **declaration**. In conjunction with an **extended attribute** grammar mechanism, visibility networks
to a **declaration**. In conjunction with an **extended attribute** grammar mechanism, visibility networks allow
performed when binding a name **reference** to a **declaration**. In conjunction with an **extended attribute**
reports.adm.cs.cmu.edu/user/anon/1993/CMU-CS-93-158.ps

Propagation Rule Compiler: User Manual - Griefahn, Rath (Correct)

DG94, GM95, GR95]The graphical interface of PROP **extends** CPT/GUI by offering the possibility of making
all implicit changes on derived concepts (**attributes**, classes, views, and constraints) which can
1 Status: DEFINITIVE Date of issue: 15.6.1996 Reference: IDEA.WP.22.O.004 Number of pages: 16 Copyright
www.informatik.uni-bonn.de/~ulrike/Publications/PROP/prop_usermanual.ps.gz

Resolving Ambiguities caused by Multiple Inheritance - Gillian Dobbie (1995) (Correct) (2 citations)

of query evaluation in our language. This work **extends** that presented in [5]1 Introduction In
and Goals We first describe the syntax of **declarations**, which define a set of types arranged in a
provides a firm basis for such an extension. **References** 1. S. Abiteboul, G. Lausen, H. Uphoff, and E.
www.cit.gu.edu.au/~rwt/papers/DOOD95.ps

An Implementation of Complete, Asynchronous... - Le Fessant, Piumarta... (1998) (Correct) (1 citation)

using the StubScion Pair Chains (SSPC) system, **extended** with our cyclic detection algorithm. Although
Abstract Most existing **reference**-based distributed object systems include some
para.inria.fr/~lelessan/dgc/papers/00010-LFPS98.ps.gz

Indexing for Data Models with Constraints and Classes - Kanellakis, Ramaswamy.. (1993) (Correct) (71 citations)

for Data Models with Constraints and Classes **Extended** Abstract) Paris C. Kanellakis y Sridhar
size of the output of a query. Indexing by one **attribute** in the constraint data model (for a fairly
with B tree performance as our point of **reference** whose performance we refer to as optimal. A B
ftp.cs.brown.edu/pub/techreports/93/cs93-21.ps.Z

Pvm 3 User's Guide And Reference Manual - Geist, Beguelin, Dongarra.. (1994) (Correct) (300 citations)

file pvm3/include/fpvm3.h. Some vendors may **extend** this list to include 64 bit architectures in
Sciences Section Pvm 3 User's Guide And **Reference** Manual Al Geist Adam Beguelin Jack
www4.informatik.uni-erlangen.de/~tsthiel/Papers/pvm-ug.ps.gz

An Object-Oriented Approach to C++ Compiler Technology - Sminchisescu, Telea (Correct)

compiler technology (as a possible alternative to **attribute** grammars) really produces more modular, concise
name analysis (binding each use of a name to its **declaration** making thus available context and type
then ?The underlying guideline beyond the **Reference** Manual (5)is that if a token stream can be
bigbio.rutgers.edu/~crismin/compotech.ps

P++: A Language for Large-Scale Reusable Software Components - Vivek Singhal (1993) (Correct)

constant and type parameterization of classes Pextends these capabilities to components and realms. In
upon Figure 1: Sample realm and component **declarations**. that the scales of encapsulation currently
of systems and software system generators. **References** Bat88] Don Batory. Concepts for a DBMS
ftp.cs.utexas.edu/pub/predator/wisr-93-p++.ps

A Framework for Protocol Composition in Horus - van Renesse, Birman.. (1995) (Correct) (11 citations)

containing hooks with which the interface can be **extended** to add new features. Luckily, work on
of protocol layers, as well building **reference** implementations of the most critical Horus
as challenges that the application developer must **resolve**. Network standardization has focused mainly on
ftp.cs.cornell.edu/pub/isis/horus/doc/compose.ps.Z

[Documents 41 to 60](#) [Previous 20](#) [Next 20](#)

Try your query at: [Amazon](#) [Barnes & Noble](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer - citeseer.org - [Terms of Service](#) - [Privacy Policy](#) - Copyright © 1997-2002 NEC Research Institute



Find:

[Documents](#)

[Citations](#)

Searching for **extended attribute declaration and reference resolving**.

Restrict to: [Header](#) [Title](#) Order by: [Citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Amazon](#) [B&N](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

1000 documents found. **Only retrieving 250 documents (System busy - maximum reduced)**. Retrieving documents... **Order: relevance to query.**

[User Manual for Ox: An Attribute-Grammar Compiling System based...](#) - Bischoff (1992) (Correct) (1 citation)

User Manual for Ox: An **Attribute**-Grammar Compiling System based on Yacc, Lex,

ftp.cs.iastate.edu/pub/tech_reports/1992/92-30/92-30.ps

[Mechanisms and Interfaces for Software-Extended Coherent Shared...](#) - Chaiken (1994) (Correct) (3 citations)

Mechanisms and Interfaces for Software-**Extended** Coherent Shared Memory by David L. Chaiken

<ftp.cag.lcs.mit.edu/pub/papers/chaiken-dissert-1-10.ps.Z>

[Backtrackable Updates - Noye](#) (Correct)

France email: Jacques.Noye@irisa.fr Abstract **Extending** (syntactic) unification is essential to the

setarg/3 is also clarified. Keywords: WAM, **attributed** variable, destructive assignment, value-trail,

ftp.elis.rug.ac.be/pub/prolog/ilps94_workshop/noye.ps.Z

[\[Recommendation X.904: - Basic Reference \(1994\)](#) (Correct)

is normative. Editor's Note: Above text to be **extended** to cover formalisation of Part 3 viewpoint

in parallel, interleaved, if the parent module is **attributed** activity or systemactivity, or -composed in

have finite sequence of value and/or variable **declarations**. LOTOS does not offer facilities to

ftp.gte.com/pub/odp/1994/part4_p2.ps.gz

[On the Optimality of the Simple Bayesian Classifier under...](#) - Domingos, Pazzani (1997) (Correct) (56 citations)

dependence is not necessarily the best way to **extend** the Bayesian classifier, and this is also

Bayesian classifier is known to be optimal when **attributes** are independent given the class, but the

www.lcs.uci.edu/~pedrod/mij97.ps.gz

[The Common Object Request Broker: Architecture and Specification - Revision July](#) (Correct)

the Interface Definition Language (which may be **extended** beyond its definition in this document) and the

. 1-5 1.2.7 **Attributes**

www.ctr.columbia.edu/opensig/documentation/references/corba2.0.ps.gz

[Identifier Semantics: A Matter of References - Nuyens, al. \(1989\)](#) (Correct)

cell Lisp) and later show how it naturally **extends** to Lisp 2 .4.1 Multiple Variable Scoping

whether **references** are determined at the binding **declaration** site, or determined in the binding execution

Identifier Semantics: A Matter Of **References** Technical Report Lix Rr 89 02, Pp 67-80,

cadillac.lip6.fr/~queinnec/WWW/./Papers/IdSem.ps.gz

[Formalizing the Eiffel Library Standard - Steven Atkinson \(1995\)](#) (Correct)

:Assertion It seems somewhat counter-intuitive to **extend** the definition of a creation **declaration** when it

which represent the features (i.e. the **attributes** and methods) of the **declaration**, and have an

second section of this paper models the Eiffel **declarations** necessary for talking about compatibility,

www.csee.wvu.edu/~atkinson/pubs/tools18.ps.gz

[UDF Bridge Volume Recognition Sequence with Boot Record - When An Ecma-](#) (Correct)

18 Volume Descriptor Set Terminator 19 Beginning **Extended** Area Descriptor 20 NSR Descriptor 21

<ftp.ecma.ch/ecma-tr/t071-pdf.pdf>

[Correction of a Memory Management Method for Lock-Free Data.. - Michael, Scott \(1995\)](#) (Correct) (5 citations)

addresses these problems. The method associates a **reference** count with each node of reusable memory. A node

hypatia.dcs.qmw.ac.uk/data/edu/cs.rochester.edu/systems/95.tr599.Memory_management_for_lock-free_data_structures.ps.gz

[Sound And Complete Translations From Sorted Higher-Order Logic...](#) - Kerber (1994) (Correct)

681-302-4628 Fax: 49) 681-302-4421 Abstract: **Extending** existing calculi by sorts is a strong means

composed .A pair (is called a subsort **declaration** and written as v .The subsort relation v

The sorted formulation is significantly better. **References** 1]Peter B. Andrews, Sunil Issar, Dan

<ftp.cs.bham.ac.uk/pub/authors/M.Kerber/94-PRICAL.ps.gz>

• extended attribute declaration and reference resolving - ResearchIndex document query

[A Foundation for Higher-order Concurrent Constraint Programming - Gert Smolka \(1994\)](#) (Correct) (25 citations)
 fl-calculus is subsumed by a calculus obtained by **extending** the asynchronous and polyadic calculus with
 [val:The methods init and inc "update" the **attribute** val by means of record adjunction. 5 A
 and parallel composition in the calculus. A **declaration** 9uE introduces a new **reference** u with scope E.
www.isg.sfu.ca/dfki-ps/RR-94-16.ps.gz

[An Object Calculus with Algebraic Rewriting - Compagnoni, Fernández](#) (Correct)
 The first-order (typed) version of the calculus, **extended** with a subtyping relation, models also object
 type. Our notation resembles that of command **declarations** in L A T E X where the number of arguments
 for comments on earlier versions of this paper. **References** 1. M. Abadi and L. Cardelli. A theory of
www.ens.fr/~maribel/papers/PLILP97.ps.gz

[Evolving Object Specifications - Saake, Sernadas, Sernadas \(1995\)](#) (Correct) (2 citations)
 be modified during system runtime. The presented **extended** temporal logic dyOSL explicitly manipulates
 a view on objects as processes observable by **attributes**. Each object state is completely characterized
 the logic. ffl Birth and death events: In the **declaration** section for events, we mark some events as
www.ti.cs.uni-magdeburg.de/~itilall/ftp/papers/db/94/sss94.ps.gz

[TGCW34 The Relationship Between the TEI.2 Header and the BNC.. - Dunlop \(1992\)](#) (Correct)
 In descriptions of tag usage and content, tag and **attribute** names, and possible **attribute** values, always
 : 19 4.2 The Sampling **Declaration** :
 : 21 4.5 The **Reference** Scheme **Declaration** :
info.ex.ac.uk/pub/SGML/tei/tech/apbnw1.ps

[An Analytical Evaluation of Static Coupling Measures for Domain... - Poels \(1998\)](#) (Correct)
 of static model based on the concepts of the (**extended**) entity-relationship diagramming technique [8]
 users are primarily interested in quality **attributes** such as for instance defined in the ISO 9126
 as the new defined features of the child may **reference** the features inherited from the parent. The
www.econ.kuleuven.ac.be/tew/academic/infosys/Members/Snoeck/ECOOP98-COPM.ps

[How Corpora with Annotated Coreference Links Improve... - Andrei Popescu-Belis](#) (Correct)
 RE: it tags the "maximal" RE and uses a "min" **attribute** in the opening tag to define the minimal string
 Corpora with Annotated Coreference Links Improve **Reference** Resolution Andrei Popescu-Belis Language and
www.limsi.fr/individu/popescu/mol/.../articles/lrec98.ps.gz

[Denotation by Sense and Reference - Seville \(1998\)](#) (Correct)
 of **reference** as entailment in the common ground **extends** naturally to intensional contexts, such as
 the **reference** of true descriptions and correctly **attributed** names. I also discuss the related issue of the
 Denotation by Sense and **Reference** Helen Seville Centre for Computational
www.ccl.umist.ac.uk/ra/heleng/ref.ps

[Ox: An Attribute-Grammar Compiling System based on Yacc, Lex... - Bischoff \(1993\)](#) (Correct) (1 citation)
 Ox: An **Attribute**-Grammar Compiling System based on Yacc, Lex,
www.complang.tuwien.ac.at/andi/.../ublu/oxURM.ps

[PSO: Shared Symbol Space for Multicomputer Architectures - Lüpke, Quittek, Wiese](#) (Correct)
 significantly. PSO is a portable software solution **extending** the Cprogramming language. It has been
 matrices /by DIM *DIM processors. shared **declaration** of matrices shared double a[DIM]DIM]
 based on Transputers or PowerPC processors. **Reference** applications in the fields of device simulation
ftp.luk.tu-harburg.de/pub/tech-reports/TR-403-95-004.ps.gz

[First 20 documents](#) [Next 20](#)

Try your query at: [Amazon](#) [Barnes & Noble](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer - citeseer.org - [Terms of Service](#) - [Privacy Policy](#) - Copyright © 1997-2002 NEC Research Institute